

# JABS Remote

## Table of contents

1 JABS Remote Task.....	2
2 Remote URL Syntax.....	2

## 1. JABS Remote Task

Use the JABS Remote task to run projects on other JABS instances. This task simplifies the assembly of the URL required to remotely execute a project. Projects can be triggered from any source that can submit a URL.

### Exec Task

Field	Required	Property	Description
Name	Yes		The task name
Site URL	Yes		The remote JABS URL. This should have the format <code>http://host:port/jabs</code>
Project ID	Yes		The project id of the remote project.
Run Group ID	No		Optionally, a run group id can be included. The run group id can be found on the Run Groups tab in the project editor.
User	Yes		A valid username for the remote site.
Password	Yes		A valid password for the username.
Enabled	Yes		Enable/Disable the task.
On Error	Yes		What to do if an error is detected.

## 2. Remote URL Syntax

Projects can be remotely executed using a URL. The URL syntax is:

`http://<host>/jabs/RemoteExec.html?project=999&rungroup=999&username=user`

Field	Required	Property	Description
-------	----------	----------	-------------

project	Yes		The project id of the remote project.
rungroup	No		Optionally, a run group id can be included. The run group id can be found on the Run Groups tab in the project editor.
username	Yes		A valid username for the site.
password	Yes		A valid password for the username.

The page will display any problems if the syntax is incorrect or show the project has started.